

COMMANDING OFFICER
NETPDT
6490 SAUFLEY FIELD RD
PENSACOLA, FL 32509-5237

ERRATA #2
Stock Ordering No. 503-LP-001-8422

5 Jun 1998

Specific Instructions and Errata for
Nonresident Training Course

ELECTRICIAN'S MATE 3 & 2, NAVEDTRA 72164

1. No attempt has been made to issue corrections for errors in typing, punctuation, etc., that do not affect your ability to answer the question or questions.
2. To receive credit for deleted questions, show this errata to your local course administrator (ESO/scorer). The local course administrator is directed to correct the course and the answer key by indicating the questions deleted.
3. Assignment Booklet, NAVEDTRA 72164.

Make the following changes:

<u>Page</u>	<u>Change</u>
4	Change alt 2 of item 1-26 to read "2. A 50 A clip attached to the end of the ground lead"
9	Assignment 2 covers pages 2-1 through 2-55
20	Change NOTE under item 3-25 to read "(NOTE: $\sqrt{3} = 1.73$)"
42	Change the instructions under Figure 6B to read "IN ANSWERING QUESTIONS 6-25 THROUGH 6-28, REFER TO FIGURE 6-7 IN YOUR TEXTBOOK."
52	Change the instructions on the bottom left-hand column of the page to read "IN ANSWERING QUESTION 7-52, REFER TO FIGURE 7-44 IN YOUR TEXTBOOK."

Delete the following questions:

<u>Questions</u>	<u>Questions</u>
1-8	7-3
1-26	8-3
3-4	8-30 through 8-34
3-7	9-32
3-25	10-20
3-29	10-31